

AIRDoctor™

USER MANUAL
air purifier



AIRDoctor™

airdoctorpro.com



AIRDoctor™

THANK YOU

Congratulations on purchasing the AirDoctor™ professional air purifier and your commitment to controlling the quality of your indoor air.

With the AirDoctor™ professional air purifier, we provide UltraHEPA™ filtration to purify the air and remove allergens. In addition, AirDoctor™ is equipped with an activated carbon filter to remove odor and VOCs. Get ready to experience cleaner air!

PLEASE NOTE: It is crucial that you read and follow all the instructions and safety warnings in this manual for optimal performance of your air purifier and your health and safety.



TABLE OF CONTENTS

SAFETY INSTRUCTIONS	2
PRODUCT BENEFITS	3
KNOWING YOUR AIR DOCTOR™ AIR PURIFIER	4
Main Parts	4
PROPER USAGE	5
OPERATING YOUR AIR DOCTOR™ AIR PURIFIER	6
Control Panel	6
Air Quality Monitor	7
MAINTENANCE	9
Maintaining the AirDoctor™ Air Purifier	9
TROUBLE-SHOOTING	9
CUSTOMER SERVICE CONTACT INFORMATION	11
ONE-YEAR LIMITED WARRANTY	11
ARBITRATION AGREEMENT	12

SAFETY INSTRUCTIONS

WARNING: RISK OF ELECTRIC SHOCK

Safety precautions should always be used when operating this or any electrical appliance. Decrease the risk of electrocution, electric shock, injury or fire by reading and following all the warnings below.

Use this product only as described in this AirDoctor™ professional air purifier owner's guide. To reduce the risk of electric shock, do not attempt to service the product in any way other than in the manner described in the "Maintenance" section of this guide.

- ⦿ Read all instructions before operating the AirDoctor™ professional air purifier.
- ⦿ This product operates at 120V AC, 60Hz only.
- ⦿ Do not run the power cord under carpets or cover with throw rugs.
- ⦿ Do not operate the product in a greasy environment such as in the kitchen. This product is not intended to filter oil or grease from air.
- ⦿ Do not use the AirDoctor™ professional air purifier in bathrooms, near sinks or other wet & humid environments, near fireplaces or in areas where flammable or combustible vapors or products may exist.
- ⦿ Always unplug the power cord from the electrical outlet when the purifier is not in use, before cleaning, inserting or removing parts or before moving to another location.
- ⦿ Never run the air purifier unless it is fully assembled.
- ⦿ To reduce the risk of electric shock, this product has a polarized plug (one blade is wider than the other). This plug will fit into a polarized outlet only one way. If the plug does not fit into the outlet, contact qualified service personnel to install the proper outlet. Do not alter the plug in any way.
- ⦿ Always turn off all controls before unplugging the AirDoctor™ professional air purifier from outlet.
- ⦿ Attempting to service the AirDoctor™ professional air purifier in any way not described in this owner's guide will void the warranty and could cause serious personal injury to the user and/or result in considerable damage to the unit.
- ⦿ Do not place the cord near a heated surface.
- ⦿ Never operate the AirDoctor™ professional air purifier if the plug or cord is damaged or appears damaged. Only qualified service personnel should replace a damaged power cord.
- ⦿ Never use the power cord to pick up, carry, drag, pull or lift the AirDoctor™ professional air purifier. Do not pull the cord against or around sharp corners and edges. This could result in injury to the user or damage to the cord.
- ⦿ Always remove the plug from its power outlet by holding onto the plug itself and pulling gently. Never pull on the cord itself to unplug it from its power outlet.
- ⦿ Use care when operating the AirDoctor™ professional air purifier by keeping all foreign objects, fingers and other body parts, hair, loose clothing and jewelry away from openings.
- ⦿ Never touch the AirDoctor™ professional air purifier or its plug when your hands are wet.
- ⦿ The AirDoctor™ professional air purifier is an electrical appliance. Adult supervision is required when operating around children.

PRODUCT BENEFITS

THE REVOLUTIONARY AIR DOCTOR™ PROFESSIONAL AIR PURIFIER CLEANS AIR WITH ULTRAHEPA™ FILTRATION.

The AirDoctor™ professional air purifier boasts many great features:


- ⦿ UltraHEPA™ filter removes microscopic particles from the air.
- ⦿ High quality carbon filter removes VOCs (Volatile Organic Compounds) and controls odors.
- ⦿ Effectively removes smoke, pollen, dust, animal dander, dust mites from the air.
- ⦿ Powerful and quiet fan has 4 speed settings so you can select the desired cleaning level.
- ⦿ Air Quality Monitor shows current air quality.
- ⦿ Auto mode automatically adjusts fan speed depending on air quality.
- ⦿ A 24 hour timer to set the time of operation, from 1 hour up to 24 hours.
- ⦿ Built-in ionizer revitalizes air.
- ⦿ Night mode dims the control panel light when you sleep.
- ⦿ Clean filter indicator light.
- ⦿ Low power consumption-energy efficient, Energy Star approved.



KNOWING THE AIR DOCTOR™ AD3000 AIR PURIFIER

MAIN PARTS


1. Front Cover
2. Pre-Filter (attached to the VOC filter)
3. Carbon/Gas Trap/VOC Filter
4. UltraHEPA™ Filter
5. Air-Outlet
6. Touch Control Panel
7. Air Quality Sensor Cover
8. Air Quality Sensor
9. Air Quality Monitor: The display will change color depending on air quality.



PROPER USAGE

Please note: make sure the UltraHEPA™ & Carbon/Gas Trap/VOC filters are properly installed before use.


1. Keep both sides of the unit more than 1 foot away from a wall.
2. Do not blow air from a fan or air conditioner directly into the air purifier.
3. Do not place the unit where the air inlet or outlet grill could come in contact with curtains or drapery.
4. Place the unit close to the source of air pollution to improve indoor air quality effectively.



OPERATING THE AIR DOCTOR™ AD3000 AIR PURIFIER

Before first use, remove filters and remove plastic bag from filters, then reinstall filters. Then reinstall front cover.

Plug the unit into an electrical outlet. The unit will be ready to run. Read the following directions to select desired settings.



AIR QUALITY MONITOR

Air Monitor

The Air Doctor™ comes with an Air Quality Monitor that continuously monitors the quality of the air in the room. The LED light located on the front will light up according to the air quality. The Air Quality Monitor is able to show 3 air quality levels.

BLUE = Good air quality / **ORANGE** = Fair air quality / **RED** = Poor air quality


You can choose to set the Air Doctor™ to **“Auto”**. This will enable the Air Doctor™ to adjust the Fan speed according to the Air Quality. In **Auto** mode, the fan speed will be adjusted as follows:

Good Air Quality = Low fan speed


Fair Air Quality = Medium fan speed

Poor Air Quality = High and Boost fan speed

CONTROL PANEL



1. Power Control

As soon as you press the power button , the Air Doctor™ will start in the **Auto** mode. As soon as the auto program has been activated it will start up in the high-speed mode, the sensor will start to detect the amount of particulate in the air. As the particles are detected, the Air Doctor™ will select the purification speed (fan speed) that is appropriate to the particulate contamination in the room.

In most cases we recommend that you leave the Air Doctor™ in the Auto mode, for other purification modes, see the next page.

OPERATING THE AIR DOCTOR™ AD3000 AIR PURIFIER

2. Fan Speed Control

The Air Doctor™ has four different fan speed settings: Low, Medium, High, and Boost. Each mode has its own indicator light which lights up when the setting is chosen. The speed selected determines how rapidly you want to clean the air. The **“LOW”** and **“MEDIUM”** settings are great for everyday use. The **“HIGH”** setting is great for areas with more airborne contaminants (such as excessive smoke, pet dander, etc), or areas used frequently by allergy-sufferers. The **“BOOST”** setting is best used for shorter bursts of time when you want to rapidly purify the air.

3. Auto Mode

The Air Doctor™ is equipped with an air sensor to monitor the quality of your air. Simply press the **Auto** button to activate the air monitoring system. The monitor will test the air quality and automatically adjust the fan speed to remove the air contaminants. The front of the display is equipped with **LED lights** to notify you of the air quality. **RED** color is for poor, **ORANGE** for fair and **BLUE** for good quality air.

4. Dim Mode

If the LED lights are too bright, activate the **“Dim Mode”** to turn off the LED lights and the lighted display.

5. Timer Control

The Air Doctor™ air purifier can be programmed to turn off after a preset amount of time. Press the **“TIME”** button to program the timer. Each press will add one hour up to a total of 24 hours. Keeping the button pressed will automatically increase to 24 hours, 1 hour at a time.

6. ION Generator

Press the **ION** button to turn on the IONs. Press it again to turn the IONs off.

7. Clean Filter Indicator Light

The Air Doctor™ Clean Filter Indicator Light will turn on each time a filter needs to be replaced. To reset the filter indicator, **press the AUTO and DIM buttons together for 3 seconds**. The **CLEAN FILTER** light will flash 3 times and then turn off completely, indicating the unit has been reset.

8. 24-Hour Timer Display

Electrical Ratings

- 120 volt / 60 Hz
- Power consumption / 95 watts
- 12 month UltraHEPA™ filter
- 6 month Carbon filter

Replacement Filters

- UltraHEPA™ filter / ADF3001
- Carbon filter / ADF3002
- Pre-filter / ADF3003

To order replacement filters go to airdoctorpro.com or call 800.221.2515.

MAINTENANCE

The AirDoctor™ professional air purifier is almost maintenance free! The high quality carbon/gas trap/VOC filter lasts up to 6 months and our UltraHEPA™ filter lasts up to 12 months, depending on use and environment conditions.


Before replacing the UltraHEPA™ or carbon/gas trap/VOC filter of your AirDoctor™ professional air purifier, turn off and unplug the unit from the electrical outlet and read all safety instructions and important warnings in this owner's manual.

REPLACING THE ULTRAHEPA™ & CARBON/GAS TRAP/VOC FILTERS

1. Make sure the unit is turned off and unplugged. With the front of the unit facing forward, pull the lid towards you at the upper end as shown and remove the front cover.
2. Remove the UltraHEPA™ and carbon/gas trap/VOC filters by lifting and pulling the tabs on both sides of the filters.
3. Insert new UltraHEPA™ and carbon/gas trap/VOC filters, then insert the bottom of the inlet grill first and then snap the upper part of the front cover back into position.
4. To close the front cover, first make sure the bottom hooks are properly in place before snapping it up to its upright and locked position.

CLEANING THE PRE-FILTER

1. Make sure the unit is turned off and unplugged. With the front of the unit facing forward, pull the lid towards you at the upper end as shown and remove the front cover.
2. Gently remove the reusable pre-filter from front side of the carbon filter.
3. To clean the pre-filter, simply submerge in warm soapy water. Gently lift and submerge the pre-filter several times until it is clean.
4. Rinse the pre-filter with clean water and allow it to dry completely before placing it back onto the front side of carbon filter.



MAINTENANCE

Cleaning the Air Monitor

The Air Doctor™ is designed with an air monitor to track the quality of your air. Over time the monitor can become dirty and may require cleaning. The main symptom of a dirty air monitor is the LED display remains frozen on one light color. In order to clean the air monitor you must use a vacuum to clear the monitor chamber.

1. Power off and unplug unit.
2. Locate and open the air sensor panel door located on the side of the unit. (Fig. 1)
3. Use a vacuum cleaner hose to suction any dust or dirt that may have accumulated inside the monitor chamber. (Fig. 2)

Figure 1





Figure 2



TROUBLESHOOTING

Before contacting our customer service department, please try the following solutions:

PROBLEM	REASON	SOLUTION
Unit won't operate.	ON/OFF button hasn't been pressed.	Press ON/OFF button.
	Unit is unplugged.	Plug in unit.
Reduced air flow or poor filtering.	The inlet or outlet grill may be blocked.	Ensure nothing is in front of or on top of the purifier.
	The UltraHEPA™ or carbon/gas trap/VOC filter may be clogged.	Check filters and replace it if necessary. (See instructions on pg. 8).
	Filters may still be in bags.	Remove filters from bags.

TROUBLESHOOTING

Before contacting our customer service department, please try the following solutions:

PROBLEM	REASON	SOLUTION
<i>The air quality monitor only illuminates blue.</i>	The air in your room is clean.	The unit is operating normally, no action required
<i>The air quality monitor only illuminates yellow or red.</i>	Either the air quality is very poor or the air monitor sensor has become dirty.	Clean the air sensor with a vacuum to restore the accuracy of the monitor. (See page 9 for instruction on how to clean the sensor)
<i>The FILTER 1 or FILTER 2 light has come on and won't turn off.</i>	The AirDoctor is designed to notify you when it is time to change each filter. These lights indicate that one of the filters needs to be replaced.	First, remove and replace the filter that needs to be changed. Second, press and hold the AUTO and DIM button simultaneously to reset the filter life tracker and turn off notification light.
<i>The AUTO mode is not activating the ION mode.</i>	The AUTO mode is designed to adjust the fan speed depending on the air quality. Other modes must be activated separately	The unit is operating normally, no action required

ONE-YEAR LIMITED WARRANTY

AIR DOCTOR™ ONE-YEAR LIMITED WARRANTY

Your AirDoctor™ air purifier is warranted to be free from defects in materials and workmanship for one year from the original purchase date. Should the product have a defect in materials or workmanship, we will repair or replace it without charge to you (a shipping and processing fee will apply). To obtain service under warranty, simply call our customer service center toll-free at **800.221.2515**.

This warranty does not cover damage caused by accident, misuse or any use other than as intended and described in this product manual, or damage resulting from failure to maintain and clean this product as specified in this product manual. This warranty applies only to the original purchaser of the AirDoctor™ air purifier. This warranty does not cover the filters.

AIR DOCTOR™ VOC, HEPA AND PRE-FILTER LIMITED WARRANTY

Your AirDoctor™ particle filter (HEPA) and VOC (carbon) and Pre-filter is warranted to be free from defects in material and workmanship for 30 days from the original purchase date. AirDoctor™ will replace a defective filter at no charge to you and cover any shipping charges. The limited warranty covers normal use only.

ALL EXPRESS AND IMPLIED WARRANTIES FOR THIS PRODUCT, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE WARRANTY PERIOD, AND NO WARRANTIES, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THIS PERIOD.

Some states do not allow limitations on the duration of implied warranties, so the above limitation may not apply to you. While this warranty gives you specific legal rights, you may also have other rights which may vary from state to state.

CONTACT INFO FOR WARRANTY SERVICE:

AirDoctor™
 P.O. Box 9159 | Van Nuys, CA | 91409-8291
 800.221.2515 | airdoctorpro.com
 ©2018 AirDoctor™, LLC. All Rights Reserved.

AIRDoctor™



ARBITRATION AGREEMENT

PLEASE READ THIS AGREEMENT CAREFULLY. YOU ACCEPT THE TERMS OF THIS AGREEMENT BY RETAINING THE PRODUCT(S) SHIPPED IN CONNECTION WITH THIS AGREEMENT (THE "PRODUCTS") FOR MORE THAN THIRTY (30) DAYS AFTER RECEIPT. IF YOU DO NOT AGREE TO THE TERMS OF THIS AGREEMENT, YOU MAY RETURN THE PRODUCT TO COMPANY WITHIN THIRTY (30) DAYS OF RECEIPT FOR A FULL REFUND.

THIS ARBITRATION AGREEMENT ("AGREEMENT") AFFECTS YOUR LEGAL RIGHTS AND REMEDIES BY PROVIDING THAT DISPUTES BETWEEN YOU AND THE MANUFACTURER, DISTRIBUTOR AND/OR SELLER OF THIS PRODUCT (COLLECTIVELY, "COMPANY"), MUST BE RESOLVED THROUGH BINDING ARBITRATION AND NOT IN COURT. IT ALSO PROVIDES THAT ANY DISPUTE CANNOT BE RESOLVED IN A CLASS ACTION OR OTHER PROCEEDING WHERE YOU REPRESENT OTHER PERSONS OR OTHER PERSONS REPRESENT YOU, AND THAT NO CLASS OR REPRESENTATIVE ARBITRATIONS ARE PERMITTED. PLEASE CAREFULLY READ ALL TERMS IN THIS AGREEMENT.

- 1. RESOLUTION OF CLAIMS OR DISPUTES.** Any claim or dispute between you and Company (or any of Company's subsidiaries or affiliates) arising out of or relating in any way to the Product or this Agreement shall be resolved through final, binding arbitration. This arbitration obligation is reciprocally binding on both you and the Company and applies regardless of whether the claim or dispute involves a tort, fraud, misrepresentation, product liability, negligence, violation of a statute, or any other legal theory. Both you and Company specifically acknowledge and agree that you waive your right to bring a lawsuit based on such claims or disputes and to have such lawsuit resolved by a judge or jury.
- 2. LIMITATION OF LEGAL REMEDIES.** All arbitrations under this Agreement shall be conducted on an individual (and not a class-wide) basis, and an arbitrator shall have no authority to award class-wide relief. You acknowledge and agree that this Agreement specifically prohibits you and the Company from commencing arbitration proceedings as a representative of others or joining in any arbitration proceedings brought by any other person. The parties agree that no class or representative actions of any type are permitted.
- 3. ARBITRATION PROCEDURES.**
 - a. Before instituting an arbitration, if you have any dispute, we strongly encourage you to contact the Company to try to resolve the matter by calling 800-218-3560, although you are not required to do so.
 - b. The arbitration of any claim or dispute under this Agreement shall be conducted in accordance with the expedited procedures set forth in the JAMS Comprehensive Arbitration Rules and Procedures as those Rules exist on the date you receive the Product, including Rules 16.1 and 16.2 of those Rules. These rules and procedures are available by calling JAMS or by visiting its web site at www.jamsadr.com. The arbitration of any claim or dispute under this Agreement shall be conducted by an arbitrator who has at least five years of experience conducting arbitrations.
 - c. The arbitration of any claim or dispute under this Agreement shall be conducted in the State of California or the location in which you received this Agreement. For claims of \$10,000 or less, you may choose whether the arbitration proceeds in person, by telephone, or based only on submissions.
 - d. The Company shall pay costs for the arbitration of claims, including any JAMS Case Management Fee and all professional fees for the arbitrator's services. The Company shall pay the fees and costs of its own counsel, experts and witnesses and shall not be able to recoup them from you even if you do not prevail in the arbitration. Unless otherwise provided by law, you acknowledge and agree that you shall pay the fees and costs of your own counsel, experts and witnesses.
- 4. CHOICE OF LAW.** The arbitration provisions of this Agreement and any arbitration conducted pursuant to the terms of this Agreement shall be governed by the Federal Arbitration Act (9 U.S.C. Secs. 1-16). In this respect, the parties acknowledge that this Agreement involves a transaction conducted in interstate commerce. Otherwise, this Agreement and the rights of the parties hereunder shall be governed by and construed in accordance with the laws of the State of California, exclusive of conflict or choice of law rules.
- 5. SEVERABILITY.** If any provision of this Agreement is declared or found to be unlawful, unenforceable or void, such provision will be ineffective only to the extent that it is found unlawful, unenforceable or void, and the remainder of the provision and all other provisions shall remain fully enforceable.

